# MONARCH NECTAR PLANTS Southern Plains



The Southern Plains encompass the grasslands states of Oklahoma, Kansas, and Arkansas, as well as most of Texas and eastern Colorado. Shifting elevations and rainfall patterns from the dry foothills of the Rockies to the wet, flat expanses of eastern Texas produce an incredibly rich diversity of flowering plants, which in turn support an array of pollinators. In the spring, monarch butterflies take advantage of the vast open prairies and these floral resources to breed; in the fall, the same prairies provide fuel to migrating monarchs heading back south for the winter.

Each spring, monarchs leave overwintering sites in coastal California and the mountains of central Mexico and fan out across North America to breed and lay eggs on milkweed, the monarch's host plant. Several generations are produced over the course of the spring and summer. In late summer and early fall, adults from the northern U.S. and southern Canada migrate back to the overwintering sites, where they generally remain in reproductive diapause until the spring, when the cycle begins again.

Monarchs at overwintering sites in Mexico and California have declined dramatically since monitoring began in the late 1990s. Across their range in North America, monarchs are threatened by a variety of factors. Loss of milkweed from extensive herbicide use has been a major contributing factor, and habitat loss and degradation from other causes, natural disease and predation, climate change, and widespread insecticide use are probably also contributing to monarch declines. Because of the monarch's migratory life

Left to right: Monarch on butterfly milkweed, spider milkweed, and blacksamson echinacea

cycle, it is important to protect and restore habitat across their entire range. Adult monarchs depend on diverse nectar sources for food during all stages of the year, from spring and summer breeding to fall migration and overwintering. Caterpillars are completely dependent on their milkweed host plants. Inadequate milkweed or nectar plant food sources at any point may impact the number of monarchs that successfully arrive at overwintering sites in the fall.

Providing milkweeds and other nectar-rich flowers that bloom where and when monarchs need them is one of the most significant actions you can take to support monarch butterfly populations. This guide features Southern Plains native plants that have documented monarch visitation, bloom during the times of year when monarchs are present, are commercially available, and are known to be hardy. These species are wellsuited for wildflower gardens, urban greenspaces, and farm field borders. Beyond supporting monarchs, many of these plants attract other nectar- and/or pollen-seeking butterflies, bees, moths, and hummingbirds, and some are host plants for other butterfly and moth caterpillars. For a list of native plants that host butterflies and moths specific to your zip code see www.nwf.org/nativeplantfinder.

The species in this guide are adaptable to growing conditions found across the Southern Plains. Please consult regional floras, the Biota of North America's North American Plant Atlas (http://bonap.net/napa), or the USDA's PLANTS database (http://plants.usda.gov) for details on species' distributions in your area.







Bloom	Common Name	Scientific Name	Flower Color	Max. Height	Water Needs	Notes
1 Spring to Summer 2	Forbs			(Feet)	Low, Medium, or High	All species perennials, unless otherwise noted. Monarchs are pr
	Betonyleaf thoroughwort	Conoclinium betonicifolium	Blue	3	М	Distribution is limited to Texas. Very attractive but
	Blacksamson echinacea	Echinacea angustifolia	Pink/purple	2	L	One of the more drought tolerant Echinaceas. Tole
3 4 Spring to Fall 5 6	Butterfly milkweed	Asclepias tuberosa	Orange/yellow	2	L	Monarch caterpillar host plant and nectar source f
	Dakota mock vervain	Glandularia bipinnatifida	Purple	1	L/M	Long bloomer, with consistent blooms from summ
	Spider milkweed	Asclepias viridis	White/yellow/green/purple	2	L	Monarch caterpillar host plant.
	Whorled milkweed	Asclepias verticillata	White	3	L	Monarch caterpillar host plant.
7 Summer 8	Bearded beggarticks	Bidens aristosa	Yellow	4	Н	Annual plant. Prefers wet soils.
	Pale purple coneflower	Echinacea pallida	Purple	3	L	Adaptable and tolerant to drought and poor soils.
9 10 11 12 13 14 15 <b>Summer to Fall</b> 16 17 18 19 20 21 21	Baldwin's ironweed	Vernonia baldwinii	Pink/purple	5	L	Grows under a variety of conditions; spreads via rh
	Blue mistflower	Conoclinium coelestinum	Blue/purple	3	М	Thin regularly to control spread by runners.
	Button eryngo	Eryngium yuccifolium	White	6	М	Can be aggressive self-seeder.
	Compassplant	Silphium laciniatum	Yellow	12	L	Drought tolerant. Looks similar to sunflower and a
	Cusp blazing star	Liatris punctata var. mucronata	Pink/purple	3	L	Liatris species in general are very attractive to mor
	Downy ragged goldenrod	Solidago petiolaris	Yellow	3	L/M	Very late-blooming plant, sometimes into Novemb
	Golden crownbeard	Verbesina encelioides	Yellow	3	L	Annual plant. Tolerates disturbed soils.
	Gray goldenrod	Solidago nemoralis	Yellow	2	М	Tolerates poor and dry soils. Shorter than most oth
	Lateflowering thoroughwort	Eupatorium serotinum	White	5	М	Nectar attracts bees, butterflies, and other insects.
	Maximilian Sunflower	Helianthus maximiliani	Yellow/brown	10	L	Very showy plant. Can be aggressive in the garden
	Pitcher sage	Salvia azurea	Blue	5	L	Tough plant with long-blooming flowers. Does we
	Sneezeweed	Helenium amarum	Yellow	5	L	Long-blooming annual.
	Stiff Goldenrod	Oligoneuron rigidum	Yellow	4	L	May be aggressive in small gardens.
	White crownbeard	Verbesina virginica	White	6	L/M	Biennial plant. Does best when allowed to naturali
	Shrubs and Trees					
Spring to Summer 23	West Indian shrubverbena	Lantana urticoides	Red/orange/yellow	3	L	Distribution is limited to Texas.
Summer to Fall 24	Common buttonbush	Cephalanthus occidentalis	White	12	М	Fragrant, showy flowers that attract butterflies.



esent March through May and again July through October in the Southern Plains.

- itterfly plant.
- erates alkaline soils and well-drained clays.
- for many bees.
- ner through fall.

# hizomes.

attracts numerous pollinators. narchs. ber.

her goldenrod species.

. Seeds eaten by birds.

if not controlled.

ell in dry soils.

ze.



# **Planting for Success**

Monarch nectar plants often do best in open, sunny sites. You can attract more monarchs to your area by planting flowers in single species clumps and choosing a variety of plants that have overlapping and sequential bloom periods. Monarchs are present March through May and again from July through October in the Southern Plains. Providing nectar plants that bloom from early spring through fall will be important for breeding and migrating monarchs in the region.

### Why Plant Native?

Although monarchs use a variety of nectar plant species, including exotic invasives such as lilac chastetree and chinaberry, we recommend planting native species. Native plants are often more beneficial to ecosystems, are adapted to local soils and climates, and help promote biological diversity. They can also be easier to maintain in the landscape, once established.

Tropical milkweed is a non-native plant that is widely available in nurseries. This milkweed can persist year-round in mild climates, allowing monarchs to breed throughout the winter rather than going into diapause. Tropical milkweed may foster higher loads of a monarch parasite called Oe (*Ophryocystis elektroscirrha*), which negatively impacts monarch health. Because of these implications, we recommend planting native species of milkweeds in areas where they historically occurred. You can read more about Oe in a fact sheet by the Monarch Joint Venture: http://monarchjointventure. org/images/uploads/documents/Oe\_fact\_sheet.pdf.

# **Protect Monarchs from Pesticides**

Both insecticides and herbicides can be harmful to monarchs. Herbicides can reduce floral resources and host plants. Although dependent on timing, rate, and method of application, most insecticides have the potential to poison or kill monarchs and other pollinators. Systemic insecticides, including neonicotinoids, have received significant attention for their potential role in pollinator declines (imidacloprid, dinotefuran, clothianidin, and thiamethoxam are examples of systemic insecticides now found in various farm and garden products). Because plants absorb systemic insecticides as they grow, the chemicals become distributed throughout all plant tissues, including the leaves and nectar. New research has, demonstrated that some neonicotinoids are toxic to monarch caterpillars that are poisoned as they feed on leaf tissue of treated plants. You can help protect monarchs by avoiding the use of these and other insecticides. Before purchasing plants from nurseries and garden centers, be sure to ask whether they have been treated with systemic insecticides. To read more about threats to pollinators from pesticides, please visit: www.xerces.org/pesticides.

# **Additional Resources**

# **Publications & Resources**

#### Gardening for Butterflies

The Xerces Society's newest book introduces you to a variety of butterflies who need our help, and provides suggestions for native plants to attract them, habitat designs to help them thrive, and garden practices to accommodate all stages of their life. Available through www. xerces.org/books.





#### Attracting Birds, Butterflies, and Other Backyard Wildlife

This award-winning book by the National Wildlife Federation's naturalist David Mizejewski is full of information on gardening for birds, pollinators and other wildlife, including illustrated how-to projects, recommended plant lists, and gorgeous color photos. You'll learn everything

you need to know to create a Certified Wildlife Habitat. Available through http://bit.ly/1Xhxfgu.

Conservation Status and Ecology of the Monarch Butterfly in the U.S. Report www.xerces.org/us-monarch-consv-report

Pollinator Plants of the central U.S.: Native Milkweeds http://bit.ly/1z7CX4U

Milkweed Seed Finder www.xerces.org/milkweed-seed-finder

## Websites

The Xerces Society www.xerces.org/monarchs

Monarch Joint Venture www.monarchjointventure.org/resources

Natural Resources Conservation Service www.nrcs.usda.gov/monarchs

National Wildlife Federation www.nwf.org/butterflies

## **Citizen Science Efforts in the Southern Plains**

Journey North www.learner.org/jnorth/monarch

Monarch Larva Monitoring Project www.mlmp.org

Project Monarch Health www.monarchparasites.org

## Acknowledgements

Nectaring data and observations, background information, and other contributions to this publication were taken from the published literature and generously provided by multiple researchers, gardeners, partners, and biologists. For the full list of data sources, please visit our website: www.xerces.org/monarch-nectar-plants. Funding provided by the Monarch Joint Venture and USDA Natural Resources Conservation Service. Additional support comes from Cascadian Farm, Ceres Trust, Cheerios, CS Fund, Disney Conservation Fund, The Dudley Foundation, The Edward Gorey Charitable Trust, General Mills, National Co+op Grocers, Nature Valley, Turner Foundation, Inc., Whole Foods Market and its vendors, and Xerces Society Members.

Written by Candace Fallon, Nancy Lee Adamson, Sarina Jepsen, Anne Stine, and Mace Vaughan. Designed by Kaitlyn Rich. Formatted by Michele Blackburn. PHOTO CREDITS: © 2012 Richard Spellenberg\*\*\*: 1. Dy-e\*\*: 2 (cover). John Flannery\*: 3 (cover). mlhradio\*: 4, 19. Pinkè\*: 5 (cover). Al Fischer\*: 6. Dendroica cerulea\*: 7. Matt Flower\*\*\*\*: 8. Bill Dodd\*: 9. Evan Raskin\*\*\*\*: 10. Joshua Mayer\*: 11, 16. Shihmei Barger\*: 12. Clarence A Rechenthin, USDA Plants: 13. Masebrock\*\*: 14. Forest & Kim Starr\*: 15. Frank Mayfield\*: 17. Judith Lopez Sikora\*\*\*\*: 18. Jason Sharp\*: 20. Matt Lavin\*: 21. Mary Keim\*: 22. Clinton and Charles Robertson\*: 23. Bob Peterson\*\*: 24. \*Courtesy of flickr.com/\*\*Wikimedia Commons/\*\*\*CalPhotos/\*\*\*\*iNaturalist. Photographs remain under the copyright of the photographer.

This material is based upon work supported by the Natural Resources Conservation Service, U.S. Department of Agriculture, under number 65-7482-15-118. Any opinions, findings, conclusions, or recommendations expressed in this publication are those of the author(s) and do not necessarily reflect the views of the U.S. Department of Agriculture.